

WATTAGE & COLOR SELECTABLE LED ADJUSTABLE WALL PACK

LEDWPCK1000051609 - TS-WPD0204-15W/20W/25W-H-TCP

LEDWPCK1000051610 - TS-WPD0608-45W/60W/75W-H-TCP



Project:	
Type:	
Catalog #:	



The Wattage and Color Selectable LED Adjustable Wall Pack Light is designed for outdoor illumination in areas such as perimeter walls or fences, walkways, building exteriors, loading docks, and many other large outdoor areas. This LED wall pack has a sleek design with an adjustable light head allowing you to adjust where the light shines. It's wattage adjustable allowing the user to adjust the light output and color tunable allowing the user to select the color temperature. It's IP65 wet rated to withstand the harshest outdoor conditions.

Product Features

- **Color Temperature:** 3000K, 4000K, 5000K Selectable
- **Power Use:** Wattage Adjustable - 15W/20W/25W or 45W/60W/75W
- **Housing Construction:** Die-Cast Aluminum Housing, dark brown powder coated finish.
- **Optical Lens:** Polycarbonate (PC) Lens
- **Beam Angle:** 65°x 95°
- **LEDs:** Hongli
- **LED Life Hours:** Rated to last 50,000 hours
- **Driver:** AC120-277V, 50/60Hz, 0-10V Dimming*
- **Power Factor (PF):** > 0.9
- **Total Harmonic Distortion (THD):** <20%
- **Color Rendering Index (CRI):** >80
- **Operating Temperature:** -40°F ~ 113°F (-40°C ~ 45°C)
- **Warranty:** 5 year warranty of all electronics and housing.

*Requires 0-10V dimmer (sold separately)

Safety & Performance Listings


- ETL listed
- IP65 rated.
- DLC Premium V5.1
- Complies with RoHS requirements.
- Complies with FCC Part 15, class B.

WATTAGE & COLOR SELECTABLE LED ADJUSTABLE WALL PACK

LEDWPCK1000051609 - TS-WPD0204-15W/20W/25W-H-TCP

LEDWPCK1000051610 - TS-WPD0608-45W/60W/75W-H-TCP

Dimensions



LEDWPCK1000051609

LEDWPCK1000051610

Electrical Specifications

Model	Watts	Lumens	LPW	CCT	CRI	Volt	Beam Angle
TS-WPD0204-15W/20W/25W-H-TCP	15	1800	120	3000K/4000K/5000K Selectable	>80	120- 277	65 x 95
	20	2400					
	25	3000					
TS-WPD0608-45W/60W/75W-H-TCP	45	5400	120	3000K/4000K/5000K Selectable	>80	120- 277	65 x 95
	60	7200					
	75	9000					

DLC Brand: Torshare

Model	QPL
TS-WPD0204-15W/20W/25W-H-TCP	PW77Q63W
TS-WPD0608-45W/60W/75W-H-TCP	PQ95ZR6K


WATTAGE & COLOR SELECTABLE LED ADJUSTABLE WALL PACK

LEDWPCK1000051609 - TS-WPD0204-15W/20W/25W-H-TCP


LEDWPCK1000051610 - TS-WPD0608-45W/60W/75W-H-TCP

Photometrics

LUMINOUS INTENSITY DISTRIBUTION DIAGRAM LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




LEDWPCK1000051609



LEDWPCK1000051610

Wattage & Color Tunable Instructions



WATTAGE & COLOR SELECTABLE LED ADJUSTABLE WALL PACK

LEDWPCK1000051609 - TS-WPD0204-15W/20W/25W-H-TCP

LEDWPCK1000051610 - TS-WPD0608-45W/60W/75W-H-TCP

Adjustable Body

Built-in adjustable knuckle allows you to adjust the position of the light up to 90°



Package Information

Wattage	Outer Carton Size (L*W*H)	Qty/Ctn (pcs)	Net Weight (lbs)	Gross Weight (lbs)
15/20/25W	17.91" x 11.22" x 13.97"	4	14.90	15.95
45/60/75W	21.85" x 13.97" x 14.76"	4	21.10	26.10